Cumulative Index 1974

Page numbers of symposium and clinic titles are given in **boldface** type.

ACETAZOLAMIDE (Diamox), renal calculi from, *1974*: June, 276
  renal tubular acidosis with, *1974*: June, 241
Actinomycin D (Dactinomycin), for rhabdomyosarcoma, in children, *1974*: Oct., 611
Adriamycin, for rhabdomyosarcoma, in children, *1974*: Oct., 612, 613
Agenesis, renal, in children, *1974*: Oct., 430–431
Aggregation, in stone formation, *1974*: June, 194–198
Air insufflation cystometry, *1974*: Feb., 49–51
Alimentation, intravenous, for azotemic patient, *1974*: June, 351–353
Allopurinol, for urolithiasis, *1974*: June, 267–268
Alport's syndrome, hematuria and, *1974*: Oct., 567
  renal calcifications in, *1974*: June, 226
Ampicillin, toxicity of, *1974*: June, 286
Anal sphincter(s), bladder function and, *1974*: Feb., 32
  electromyographic study, *1974*: Feb., **69–79**
  innervation of, *1974*: Feb., 74
Anatrophic nephrotomy, *1974*: June, 308–311, **333–344**
Antimicrobial agents, for urinary infection, *1974*: Oct., 405–409
  with renal lithiasis, *1974*: June, 284–287
Arteriography, renal, in calculous disease, *1974*: June, 302–306
Atonic bladder, *1974*: Feb., 44
Autonomous neurogenic bladder, *1974*: Feb., 41–42
Autonomous neurogenic bladder (*Continued*)
  after spinal cord injury, retraining, *1974*: Feb., 166
  cystometrogram of, *1974*: Feb., 61–62
  signs and symptoms, *1974*: Feb., 33
  treatment, *1974*: Feb., 96
Azotemia, nutritional support in, *1974*: June, 345–356

BABINSKI sign, neurogenic bladder and, *1974*: Feb., 32
Bacteriuria, in children, *1974*: Oct., 387–390, 392, 403
Bladder, atonic, *1974*: Feb., 44
  Bricker, *1974*: Feb., 170
  calculi, *1974*: June, **375–379**
  decreased blood flow, infection and, *1974*: Feb., 82
  enlargement, *1974*: Feb., 32
  functions, *1974*: Feb., 29–32
    cystometric study, *1974*: Feb., **45–67**
  hypotonicity, in children, *1974*: Oct., 482
  increased pressure, *1974*: Feb., 83
  infantile, *1974*: Feb., 84–85
  neck resection, transurethral, *1974*: Feb., 142, 149–150, 157, 158–161
  neurogenic. See *Neurogenic bladder*.
  normal, cystometrogram of, *1974*: Feb., 59
  outlet obstruction, in children, *1974*: Oct., 466–467
  overdistention, infection and, *1974*: Feb., 82
  puncture, for urine collection, *1974*: Oct., 390–391

Bladder (*Continued*)
reflex activity, manual stimulation after spinal cord injury, *1974*: Feb., 31, 166–170
retraining, after spinal cord injury, *1974*: Feb., 140, 148–149, 156–157, 166–172
rhabdomyosarcoma in children, chemotherapy, *1974*: Feb., **607–615**
sensation to temperature change, *1974*: Feb., 55–56
Blocksom technique for cutaneous vesicostomy, *1974*: Oct., **485–495**
Bowel, disease of, hyperoxaluria with, *1974*: June, 275
for urinary diversion procedures, *1974*: Feb., 103–110
Bricker bladder, *1974*: Feb., 171
Brushite, *1974*: June, 185, 231, 232–234
Bulbocavernosus reflex, test of, *1974*: Feb., 32, 57

CALCIFICATION. See also *Calculus* and *Calculous disease*.
abdominal, *1974*: June, 218
Calcium, urinary excretion, *1974*: June, 256
Calcium oxalate stones, *1974*: June, 184–185, 231–234, 237–240
medical treatment, *1974*: June, 263–268
Calcium phosphate stones, *1974*: June, 184–185, 231–234
Proteus infection and, *1974*: June, 269
Calculous disease, genetic aspects, *1974*: June, 204–205
idiopathic, *1974*: June, 263–268
medical evaluation of, *1974*: June, **241–260**
medical treatment and prophylaxis, *1974*: June, **261–278**
roentgen aspects, *1974*: June, **213–227**
Calculus(i), analysis of, *1974*: June, **229–240**
composition and structure, *1974*: June, 184, 185
crystalline components, *1974*: June, 231–232
in children, *1974*: June, **365–374**
incidence and distribution, *1974*: June, 182–183
mechanisms of formation, *1974*: June, 189–198, 244–246
renal. See also *Renal calculous disease*.
diseases causing, *1974*: Oct., 423
pyelolithotomy for, *1974*: June, **319–332**
surgery for, *1974*: June, **299–317**
roentgen diagnosis, *1974*: June, **213–227**
staghorn, *1974*: June, 235, 240
structure of, *1974*: June, 237–240
ureteral, *1974*: June, **357–363**
vesical, *1974*: June, **375–379**
Calycotomy, *1974*: June, 306–307
Calyorrhaphy and calycoplasty, *1974*: June, 339–340
Carbenicillin, for urinary infection, *1974*: June, 293
toxicity of, *1974*: June, 286
Carbon dioxide insufflation cystometry, *1974*: Feb., 51
Carcinoma, embryonal, in children, *1974*: Oct., 600–603
Catheterization, continuous indwelling, after spinal cord injury, *1974*: Feb., 147–148, 163
for urine collection, *1974*: Oct., 391–392
in cystometry, *1974*: Feb., 54
intermittent, after spinal cord injury, *1974*: Feb., **115–124**, 125–130, 139–140, 156
in reflex neurogenic bladder, *1974*: Feb., 94
self, intermittent, *1974*: Feb., 89–90
Cefazolin, toxicity of, *1974*: June, 286
Cephalexin, toxicity of, *1974*: June, 286
Cephaloridine, toxicity of, *1974*: June, 286
Cephalosporins, for urinary infection, *1974*: June, 290
Cephalothin, toxicity of, *1974*: June, 286
Chemotherapy, for rhabdomyosarcoma of bladder and prostate, in children, *1974*: Oct., **607–615**
for urinary tract infection, *1974*: Oct., 404–409
Children, urinary calculi in, *1974*: June, **365–374**
Chloramphenicol, for urinary infection, *1974*: June, 291
Colic, ureteral, roentgen examination in, *1974*: June, **213–227**
Colistimethate, toxicity of, *1974*: June, 286
Counting chamber method of urinalysis, *1974*: Oct., 400
Coverslip methods of urinalysis, *1974*: Oct., 400–401
Credé expression, *1974*: Feb., 31, 170
Crohn's disease, renal calcifications in, *1974*: June, 224
Cryptorchidism, pediatric, *1974*: Oct., **573–592**
orchidopexy for, *1974*: Oct., 584
Crystal formation, inhibitors of, in medical treatment of urolithiasis, *1974*: June, 267–268
Crystalluria, *1974*: June, 187–189
Cutaneous vesicostomy. See *Vesicostomy, cutaneous*.
Cyclophosphamide (Cytoxan), for rhabdomyosarcoma, in children, *1974*: Oct., 612
Cystine stones, *1974*: June, 184, 185, 231, 236
Cystinuria, urolithiasis with, *1974*: June, 241, 242, 246–247
medical management, *1974*: June, 272–273
Cystometer, types of, *1974*: Feb., 46–53
Cystometry, *1974*: Feb., **45–67**
technique, *1974*: Feb., 53–58
Cystosphincterometrography, *1974*: Feb., 132–137
Cystostomy, permanent, after spinal cord injury, *1974*: Feb., 143, 162
Cystourethrogram, in urinary infection, *1974*: Oct., 395, 460

DEEP tendon reflexes, bladder disease and, *1974*: Feb., 32
Denervation sensitivity test, for neurogenic vesical dysfunction, *1974*: Feb., 57

Detrusor muscle, innervation, *1974*: Feb., **3–27**
sphincter dyssynergia and, *1974*: Feb., 76
Diabetes mellitus, sensory neurogenic bladder in, *1974*: Feb., 42–43
Diversion, temporary, in dilated urinary tract management, in infants, *1974*: Oct., **515–530**
Diverticula, paraureteral, in children, *1974*: Oct., 482
Drainage, after renal calculous surgery, *1974*: June, 313–314
Drug(s), renal calculi due to, *1974*: June, 276

ELECTROMYELOGRAPHY, in urinary sphincter evaluation, *1974*: Feb., 77–79
Electromyography, of urinary sphincter, *1974*: Feb., **69–79**
Enzyme disorders, urolithiasis with, *1974*: June, 248–250
Epitaxy, *1974*: June, 184–187, 245–246

FLUID(s), increased intake, for dilute urine in calculous disease, *1974*: June, 203, 261–263
Fluid balance, during intermittent catheterization, *1974*: Feb., 119–120

GASTROINTESTINAL disease, urolithiasis with, *1974*: June, 254–255
Genetics, and urologic disease, *1974*: Oct., **419–440**
Genitourinary system. See under organs and parts.
Gentamicin, for urinary infection, *1974*: June, 292
toxicity of, *1974*: June, 286
Geocillin. See *Indanyl carbenicillin*.
Glyoxalate metabolism, disorders of, *1974*: June, 249–250
Goodpasture's syndrome, and hematuria, *1974*: Oct., 566
Gout, renal disease with, *1974*: Oct., 434
urolithiasis with, *1974*: June, 252–254

HEMATURIA in children, *1974*: Oct., **561–572**
causes of, *1974*: Oct., 563–569
Hemolytic uremic syndrome, and hematuria, *1974*: Oct., 568
Horseshoe kidney, calculus in, *1974*: June, 214
Hutch I procedure of ureteral reimplantation, *1974*: Oct., 451–452
Hydrochlorothiazide, calculus formation from, *1974*: June, 276
for idiopathic calcareous calculi, *1974*: June, 266–267
Hypercalcemic states, urolithiasis with, *1974*: June, 242, 250–252
Hypercalciuria, *1974*: June, 256
immobilization with, *1974*: June, 275
Hyperoxaluria, acquired, urolithiasis with, *1974*: June, 255
intestinal disease and, *1974*: June, 275
primary, *1974*: June, 249–250, 274
Hyperparathyroidism, normocalcemic, *1974*: June, 257
primary, urolithiasis with, *1974*: June, 250
renal lithiasis with, *1974*: June, 225, 273–274
Hyperuricemia, urolithiasis and, *1974*: June, 205
Hypospadias, in children, *1974*: Oct., 430

ILEOSTOMY, urolithiasis and, *1974*: June, 255
Ileoureterostomy, *1974*: Feb., 109–110
Ileovesicostomy, cutaneous, *1974*: Feb., 111
Incontinence, bladder, *1974*: Feb., 30, 83
Indanyl carbenicillin (Geocillin), for urinary infection, *1974*: June, 294
Infantile bladder, in girls, *1974*: Feb., 84–85
Infection, renal lithiasis and, *1974*: June, 257–258, 268–269
urinary tract, infantile bladder and, *1974*: Feb., 84–87
intermittent catheterization and, *1974*: Feb., 122–123
pathophysiology, *1974*: Feb., 81–82
Intermittent catheterization, after spinal cord injury, *1974*: Feb., **115–124**, 125–130, 139–140, 156
in reflex neurogenic bladder, *1974*: Feb., **94**
self, *1974*: Feb., 89–90
Intestine, conduit procedures for diversion, *1974*: Feb., 105–110
disease of, oxalate stone formation with, *1974*: June, 275
use in diversion procedures, *1974*: Feb., 103–110
Intranephronic calculosis, *1974*: June, 246
Intravenous alimentation, for azotemic patient, *1974*: June, 351–353

KANAMYCIN, for urinary infection, *1974*: June, 291
toxicity of, *1974*: June, 286
Kidneys, calculous disease of,
arteriography in, *1974*: June, 302–306
diseases causing, *1974*: Oct., 423
in children, *1974*: June, **365–374**
incisions for, *1974*: June, 307
maintenance of dilute urine in, *1974*: June, 261–263
medical evaluation, *1974*: June, **241–260**
medical treatment and prophylaxis, *1974*: June, **261–278**
pyelolithotomy for, *1974*: June, **319–332**
roentgen aspects, *1974*: June, **213–227**
surgery for, *1974*: June, **299–317**
antibiotic therapy with, *1974*: June, 295–296
in children, *1974*: June, 370–374

Kidneys (*Continued*)
cooling, in stone surgery, *1974*: June, 309–310
diseases affecting, *1974*: Oct., 423
donors of, for transplantation, *1974*: Oct., 552–553
failure of, chronic, after spinal cord injury, *1974*: Feb., 153
function of, evaluation, before stone surgery, *1974*: June, 301–302
horeshoe, calculi in, *1974*: June, 214
lithiasis of, idiopathic, *1974*: June, 255–257
symposium on, *1974*: June, **179–383**
urinary tract infection and, *1974*: June, **279–297**
medullary sponge disease, *1974*: June, 223–226
preservation of cadaveric, *1974*: Oct., 554–555
surgical roentgenology, *1974*: June, 311–313
transplantation, in children, *1974*: Oct., **549–560**

LAPIDES technique for cutaneous vesicostomy, *1974*: Oct., 485–487
Levator ani, innervation of, *1974*: Feb., 69
Lithiasis, renal, *1974*: June, **181–212**
idiopathic, *1974*: June, 255–257
symposium on, *1974*: June, **179–383**
Lithotrity and lithotripsy, *1974*: June, 375–379

MAGNESIUM ammonium phosphate stones, *1974*: June, 184, 185
Magnesium oxide, for urolithiasis, *1974*: June, 267–268
Matrix stones, *1974*: June, 236
Medullary sponge kidney disease, roentgen signs, *1974*: June, 223–226
Megaureter, *1974*: Oct., **497–513**
Metabolism, disorders, calculi in children and, *1974*: June, 369–370
evaluation, presurgical, *1974*: June, 301–302
Methenamine, for urinary infection, *1974*: June, 287
Methylene blue, as urolithiasis inhibitor, *1974*: June, 201, 267–269
Micturition, anatomy and physiology of, *1974*: Feb., **3–27**
central nervous system pathways and, *1974*: Feb., 4–15
periodic, after spinal cord injury, *1974*: Feb., 120–122
reflex, manual stimulation of, suprapubic rhythmic, *1974*: Feb., 166–168
test of, *1974*: Feb., 57
retraining after spinal cord injury, *1974*: Feb., 140, 148–149, 156–157, 166–172
Mixed neurogenic bladder, *1974*: Feb., 65
treatment, *1974*: Feb., 92, 131
Motor paralytic neurogenic bladder, *1974*: Feb., 43–44
cystometrogram of, *1974*: Feb., 62–63
signs and symptoms, *1974*: Feb., 34
treatment, *1974*: Feb., 92, 131
Mucosal flap procedure of ureteral reimplantation, *1974*: Oct., 451–452
Multiple sclerosis, neurogenic bladder in, *1974*: Feb., 64
Myelomeningocele, and vesicostomy, *1974*: Oct., 487–490

NALIDIXIC acid, for urinary infection, *1974*: June, 288
toxicity of, *1974*: June, 286
Nephrectomy, partial, in calculous disease, *1974*: June, 306–307
Nephroblastoma, in children, *1974*: Oct., 435
Nephrolithotomy, *1974*: June, 306–307
in children, *1974*: June, 372
Nephrostomy, *1974*: Feb., 102
Nephrotomy, anatrophic, for renal calculi, *1974*: June, 308–311, **333–344**
Nervous system, central, innervation of detrusor m. and urethra, *1974*: Feb., 4–15
Neuroblastoma, in children, *1974*: Oct., 435
Neurogenic bladder, autonomous, *1974*: Feb., 41–42
after spinal cord injury, retraining, *1974*: Feb., 166
cystometrogram of, *1974*: Feb., 61–62
signs and symptoms, *1974*: Feb., 33
treatment, *1974*: Feb., 96
classification of, *1974*: Feb., **37–44**, 164–165
history and physical examination in, *1974*: Feb., **29–35**
mixed, *1974*: Feb., 65
treatment, *1974*: Feb., 92, 131
motor paralytic, *1974*: Feb., 43–44
cystometrogram of, *1974*: Feb., 62–63
signs and symptoms, *1974*: Feb., 34
treatment, *1974*: Feb., 92, 131
reflex, *1974*: Feb., 33, 40–41
after spinal cord injury, retraining, *1974*: Feb., 166
cystometrogram of, *1974*: Feb., 60–61
treatment, *1974*: Feb., 93–96
sensory paralytic, *1974*: Feb., 42–43
cystometrogram of, *1974*: Feb., 63–64
signs and symptoms, *1974*: Feb., 34
treatment, *1974*: Feb., 88–89
spinal cord injury and, bladder neck resection after, *1974*: Feb., 142, 149–150, 157–161
management in Dublin, *1974*: Feb., **155–162**
management in Geneva and West Roxbury, *1974*: Feb., **125–138**
management in Hokkaido, Japan, *1974*: Feb., **139–146**
management in Hornbaek, *1974*: Feb., **163–173**
management in Liverpool, *1974*: Feb., **147–154**

Neurogenic bladder (*Continued*)
spinal cord injury, pudendal nerve resection in, *1974*: Feb., 141–142, 149
symposium on, *1974*: Feb., **3–173**
treatment, principles of, *1974*: Feb., **81–97**
uninhibited, *1974*: Feb., 39–40
cystometrogram of, *1974*: Feb., 59–60
signs and symptoms, *1974*: Feb., 32
treatment, *1974*: Feb., 84–88
urinary diversion in, *1974*: Feb., 91, **99–114**
vesicostomy in, *1974*: Feb., 91
Nitrofurantoin, for urinary infection, *1974*: June, 288
toxicity of, *1974*: June, 286
Nucleation, of urinary stones, *1974*: June, 193
Nutrition, of azotemic patient, *1974*: June, **345–356**
renal calculous disease and, *1974*: June, 263

OBSTRUCTIVE megaureter, *1974*: Oct., 511–512
Orchidopexy, in cryptorchidism, *1974*: Oct., 584
Orthophosphates, calculus formation from, *1974*: June, 276
for calculous disease, *1974*: June, 200–201
for idiopathic calcareous calculi, *1974*: June, 263–266
Overflow incontinence, *1974*: Feb., 30
Oxalate, urolithiasis and, *1974*: June, 198–200

PARADOXICAL incontinence, *1974*: Feb., 30
Pediatric urology, symposium on, *1974*: Oct., **387–615**
Pelvic floor, musculature of, function of, *1974*: Feb., 75
innervation of, *1974*: Feb., 69–74
Penicillins, for urinary infection, *1974*: June, 289
Peristalsis, ureteral, clinical aspects of, *1974*: Oct., **413–418**
Phenoxybenzamine, *1974*: Feb., 90
Phosphate, deprivation, in treatment of struvite stones, *1974*: June, 269
for idiopathic calcareous calculi, *1974*: June, 263–266
Politano-Leadbetter procedure of ureteral reimplantation, *1974*: Oct., 451–452
Polymyxin(s), for urinary infection, *1974*: June, 292
Polymyxin B, toxicity of, *1974*: June, 286
Primary megaureter, *1974*: Oct., 497–508
Prostate, rhabdomyosarcoma of, in children, *1974*: Oct., **607–615**
Prostatectomy, transurethral, in reflex neurogenic bladder, *1974*: Feb., 95
Proteus infection, renal lithiasis with, *1974*: June, 257–259, 268–269

Prune-belly syndrome, in children, *1974*: Oct., 491
Pubococcygeus muscle, innervation of, *1974*: Feb., 69
Pudendal nerve resection, for neurogenic bladder, *1974*: Feb., 95, 141–142, 149
Pyelolithotomy, *1974*: June, 306–307, **319–332**
in children, *1974*: June, 370–374
Pyelostomy, *1974*: Feb., 102, 103
cutaneous, in infants, *1974*: Oct., 520–523
Pyuria, in children, *1974*: Oct., 387–390, 403

REFLEX(ES), bulbocavernosus, test of, *1974*: Feb., 32, 57
deep tendon, in neurogenic bladder, *1974*: Feb., 32
Reflex incontinence, *1974*: Feb., 30
Reflex neurogenic bladder, *1974*: Feb., 40–41
after spinal cord injury, bladder retraining, *1974*: Feb., 166
cystometrogram of, *1974*: Feb., 60–61
signs and symptoms, *1974*: Feb., 33
treatment, *1974*: Feb., 93–96
Refluxing megaureter, *1974*: Oct., 508–511
Renal. See also *Kidneys*.
Renal agenesis, in children, *1974*: Oct., 430–431
Renal arteriography, in calculous disease, *1974*: June, 302–306
Renal cell carcinoma, in children, *1974*: Oct., 434–435
Renal lithiasis, idiopathic, *1974*: June, 255–257
symposium on, *1974*: June, **179–383**
urinary tract infection and, *1974*: June, **279–297**
Renal tubular acidosis, renal calculi with, *1974*: June, 274
urolithiasis with, *1974*: June, 247–248
Renal tubular syndromes, urolithiasis with, *1974*: June, 241, 242, 246–248
Rhabdomyosarcoma, of bladder and prostate, in children, *1974*: Oct., **607–615**
Roentgen examination, in calculous disease, *1974*: June, **213–227**
surgical, *1974*: June, 311–314
Ross technique of cutaneous vesicostomy, *1974*: Oct., 485–487

SARCOIDOSIS, hypercalciuria with, *1974*: June, 250
renal lithiasis with, *1974*: June, 247
Self-catheterization, clean intermittent, *1974*: Feb., 89–90
Sensory paralytic neurogenic bladder, *1974*: Feb., 42–43
cystometrogram of, *1974*: Feb., 63–64
signs and symptoms, *1974*: Feb., 34
treatment, *1974*: Feb., 88–89
Shock bladder, *1974*: Feb., 64

Shock, spinal, urinary retention during intermittent catheterization for, *1974*: Feb., 125–130, 139–140
Silicate calculi, *1974*: June, 236
Sintering, *1974*: June, 195
Sphincter(s), anal, bladder function and, *1974*: Feb., 32
electromyographic study, *1974*: Feb., 69–79
innervation of, *1974*: Feb., 74
urethral, external, after spinal cord injury, *1974*: Feb., 142, 150–152, 158–161
spasticity of, *1974*: Feb., 132–137
Sphincterotomy, external, *1974*: Feb., 95, 150–152
Spina bifida, effect on urinary tract, *1974*: Oct., 433
Spinal cord injury, continuous indwelling catheterization after, *1974*: Feb., 147–148, 163
cystostomy after, *1974*: Feb., 143, 162
external urethral sphincterotomy after, *1974*: Feb., 142, 150–152, 158–161
intermittent catheterization after, *1974*: Feb., **115–124**, 128–130, 139–140, 156
neurogenic bladder after, bladder neck resection in, *1974*: Feb., 142, 149–150, 157–161
management in Geneva and West Roxbury, *1974*: Feb., **125–138**
management in Dublin, *1974*: Feb., **155–162**
management in Hokkaido, Japan, *1974*: Feb., **139–146**
management in Hornbaek, *1974*: Feb., **163–173**
management in Liverpool, *1974*: Feb., **147–154**
pudendal nerve resection in, *1974*: Feb., 141–142, 149
subarachnoid block after, *1974*: Feb., 142
type of, *1974*: Feb., 164–165
sacral lesions, testing for, *1974*: Feb., 32
Spinal shock, urinary retention during, intermittent catheterization for, *1974*: Feb., 125–130, 139–140
Spinodal decomposition, *1974*: June, 193
Staghorn calculus, *1974*: June, 235, 240
nephrotomy for, *1974*: June, 336
Stoma, core-hole technique of, *1974*: Oct., 533–534
encrustation of, *1974*: Oct., 537–541
epigastric, *1974*: Oct., 533–535
hematuria and, *1974*: Oct., 544
incisions for, *1974*: Oct., 537–541
peristomal ulceration and, *1974*: Oct., 544–545
revision of, *1974*: Oct., 539–541
stenotic, *1974*: Oct., 537–541
urinary conduit, in children, *1974*: Oct., **531–547**
Stomatitis, in children, *1974*: Oct., 541–544
Stone. See *Calculus; Calculous disease.*
Stress incontinence, *1974*: Feb., 30
Struvite stones, *1974*: June, 185, 231
infection and, *1974*: June, 257–258
Subarachnoid block, after spinal cord injury, *1974*: Feb., 142
Sulfamethoxazole-trimethoprim, *1974*: June, 293–294
Sulfonamides, for urinary infection, *1974*: June, 287
toxicity of, *1974*: June, 286

TEMPERATURE change, bladder sensation to, *1974*: Feb., 55–56
Testes, tumors of, in children, *1974*: Oct., **593–605**
undescended testes and, in children, *1974*: Oct., 596–597
undescended, in children, *1974*: Oct., **573–592**
Testosterone, in treatment of cryptorchidism, *1974*: Oct., 586
Tetracyclines, for urinary infection, *1974*: June, 289
toxicity of, *1974*: June, 286
Thiazides, in urinary stone disease, *1974*: June, 202, 204
Transplantation, kidney, in children, *1974*: Oct., **549–560**
Transureterourereterostomy, cutaneous, *1974*: Feb., 103
Transurethral prostatectomy, in reflex neurogenic bladder, *1974*: Feb., 95
Transurethral resection of bladder neck, after spinal cord injury, *1974*: Feb., 142, 149–150, 157–161
Tuberculosis, renal, calcifications in, *1974*: June, 225
Tumors. See under specific types, as *Carcinoma.*
Tumors, malignant urologic, in children, *1974*: Oct., 434–435

ULTRASONIC lithotripsy, *1974*: June, 377–378
Uninhibited neurogenic bladder, *1974*: Feb., 39–40
cystometrogram of, *1974*: Feb., 59–60
signs and symptoms, *1974*: Feb., 32
treatment, *1974*: Feb., 84–88
Uninhibited urinary sphincter relaxation, *1974*: Feb., 77
Ureter, calculi of, *1974*: June, **357–363**
compression of, in roentgen examination, *1974*: June, 213–215
duplication of, in children, *1974*: Oct., 431–432
function of, obstruction of, *1974*: Oct., 413–414
peristalsis of, *1974*: Oct., **413–418**
reimplantation of, *1974*: Oct., 450–451
Ureteral colic, roentgen examination in, *1974*: June, **213–227**
Ureteral dynamics, therapeutic implications of, *1974*: Oct., 415–416
Ureterectasis, and reflux, *1974*: Oct., 449

Ureteroileostomy, for urinary diversion, *1974*: Feb., 106–109
Ureteroneocystostomy, in children, *1974*: Oct., 461–466
Ureteropelvic junction obstruction, congenital, calculous disease with, *1974*: June, 368
in children, *1974*: Oct., 432–433
Ureterostomy, for urinary diversion, *1974*: Feb., 102–103
loop cutaneous, in infants, *1974*: Oct., 520–523
Ureterovesical junction, obstruction of, in children, *1974*: Oct., 481
Urethra, external sphincter, electrophysiology of, *1974*: Feb., 22
spasticity of, *1974*: Feb., 132–137
innervation, *1974*: Feb., **3–27**
obstruction, *1974*: Feb., 82
resistance, reducing, *1974*: Feb., 90, 95
Urethral sphincterotomy, after spinal cord injury, *1974*: Feb., 142, 150–152, 158–161
Urethral valves, and vesicostomy, *1974*: Oct., 490–491
posterior, management of, in children, *1974*: Oct., **471–483**
Uric acid stones, *1974*: June, 184, 185, 231, 235–236, 252–254
medical treatment, *1974*: June, 270–271
Urinalysis, and urine cultures, in children, *1974*: Oct., **387–396**
collection and culture, methods of, in children, *1974*: Oct., 390–392, 400–403
Urinary bladder. See *Bladder*.
Urinary conduit stomas, in children, *1974*: Oct., **531–547**
Urinary diversion, after spinal cord injury, *1974*: Feb., 91–92, **99–114**, 143, 162
Urinary oxalate, urolithiasis and, *1974*: June, 198–200
Urinary sphincter, electromyography of, *1974*: Feb., **69–79**
innervation of, *1974*: Feb., 75
Urinary sphincterotomy, external, *1974*: Feb., 95
Urinary stones, analysis of, *1974*: June, **229–240**
Urinary tract, dilated massively in infants, management of, *1974*: Oct., **515–530**
reconstruction technique in, *1974*: Oct., 522–529
disease of, calculous, diversion and, *1974*: Feb., 110
cystourethrogram in, *1974*: Oct., 395
intravenous pyelogram in, *1974*: Oct., 394–395
infection of, chemotherapy for, *1974*: Oct., 404–409
covert and overt, *1974*: Oct., 397–399
infantile bladder and, *1974*: Feb., 84–87
in female children, *1974*: Oct., **397–412**
intermittent catheterization and, *1974*: Feb., 122–123
pathophysiology, *1974*: Feb., 81–82
renal lithiasis and, *1974*: June, 234–235, **279–297**
Urinary tract (*Continued*)
surgical diversion of, calculous disease with, *1974*: June, 274
Urine, collection and culture of, in children, *1974*: Oct., 390–395, 400–403
continence, *1974*: Feb., 83
crystals in, *1974*: June, 187–189
dilute, in calculous disease, *1974*: June, 261–263
incontinence, *1974*: Feb., 30
supersaturation, *1974*: June, 190–193
stone formation and, *1974*: June, 190–193, 205–206
thiazides for, *1974*: June, 204
Urolithiasis, *1974*: June, **181–212**
genetic factors, *1974*: June, 204–205
in children, *1974*: June, 365–374
inhibitors of, *1974*: June, 200–203, 245, 262
mechanisms of, *1974*: June, 189–198
medical evaluation of, *1974*: June, **241–260**
secondary, *1974*: June, 257–259
Urostealiths, *1974*: June, 236
Urostomy, epigastric, *1974*: Oct., 533–535

VESICAL calculi, *1974*: June, **375–379**
Vesicorectostomy, *1974*: Feb., 111
Vesicostomy, cutaneous, *1974*: Feb., 111
in childhood, *1974*: Oct., **485–495**
myelomeningocele and, *1974*: Oct., 487–490
Vesicoureteric reflux, after spinal cord injury, *1974*: Feb., 153
and nonreflux, in children, *1974*: Oct., 407–409
causes of, *1974*: Oct., 443–445
congenital, *1974*: Oct., 427–430
nonoperative treatment of, *1974*: Oct., **441–455**
surgery for, *1974*: Oct., **457–469**
threshold of, *1974*: Oct., 428–430
vesicostomy and, *1974*: Oct., 491
Vincristine sulfate (Oncovin), for rhabdomyosarcoma, in children, *1974*: Oct., 611

WATER, increased intake, to prevent stone disease, *1974*: June, 203
Water instillation cystometry, *1974*: Feb., 46–49
Weddelite, *1974*: June, 185
Whewellite, *1974*: June, 185
Whitlockite, *1974*: June, 185, 234
Wilms' tumor, *1974*: Oct., 435

XANTHINE stones, *1974*: June, 236
medical management, *1974*: June, 272
Xanthinuria, lithiasis with, *1974*: June, 248–249
X-ray. See *Roentgen*.